

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L6 | 30 | 714/8.ccls. and @pd>"20070206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:31 |
| L7 | 5 | 714/53.ccls. and @pd>"20061010" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:38 |
| L8 | 58 | 714/42.ccls. and @pd>"20070206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:44 |
| L9 | 30 | 714/7.ccls. and @pd>"20070213" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:52 |
| L10 | 8 | 714/5.ccls. and (system adj software) and @pd>"20070111" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:55 |
| L11 | 6 | 714/48.ccls. and bios and @pd>"20070206" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:56 |
| L12 | 3 | 714/5.ccls. and bios and @pd>"20070111" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:57 |
| L13 | 35 | 714/36.ccls. and @pd>"20070213" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:59 |
| L14 | 55 | (memory with (failure failures fault faults fail fails)) and (system adj software adj components) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 11:23 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| L15 | 11 | (relocat\$3) with ((system adj software) (system adj software adj components) (system adj software adj component)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 12:16 |
| S65 | 676 | 714/42.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/14 15:15 |
| S66 | 925 | 714/5.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 17:38 |
| S69 | 10 | ((("5638532") or ("6343338") or ("20020169979") or ("20020169951") or ("20030093579")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 08:27 |
| S75 | 1 | 10/748502 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 11:08 |
| S76 | 124 | 714/53.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 10:15 |
| S77 | 2 | (system adj software adj memory) with fault\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 11:09 |
| S78 | 178 | (system adj software adj memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 11:09 |
| S80 | 15 | ("5218680" "5325499" "5327497" "5559992" "5651137" "5815702").PN. OR ("6240531").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/08 13:44 |
| S81 | 424 | 714/8.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 22:53 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S82 | 949 | 714/48.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:16 |
| S83 | 237 | 714/36.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 12:36 |
| S84 | 16 | ("20020184557" "20030093711" "20030126497" "5245615" "5758056" "5974564" "6012127" "6026472" "6105053" "6289424" "6326973" "6351822" "6408401" "6463550" "6467048" "6615375").PN. OR ("7043666").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/06/08 14:35 |
| S85 | 639 | 714/7.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 10:19 |
| S86 | 18 | (efi) with fault\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 17:33 |
| S87 | 0 | (extensible adj firmware adj interface) with fault\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 17:33 |
| S88 | 62 | 714/5.ccls. and bios | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 12:40 |
| S89 | 5 | bios with (faulty adj memory) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:11 |
| S90 | 0 | bios with (bad adj bit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:12 |

EAST Search History

| | | | | | | |
|------|----|---|---|----|-----|------------------|
| S91 | 0 | bios with (faulty adj location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:15 |
| S92 | 0 | bios with (faulty adj (row column)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:13 |
| S93 | 10 | bios and (bad adj bit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:12 |
| S94 | 3 | bios and (faulty adj (row column)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:13 |
| S95 | 5 | bios and (faulty adj memory adj location) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/08 18:15 |
| S96 | 89 | 714/48.ccls. and bios | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 12:42 |
| S97 | 71 | 714/5.ccls. and (system adj software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/15 09:01 |
| S98 | 17 | 714/42.ccls. and @pd>"20060606" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/12 17:01 |
| S99 | 2 | 714/53.ccls. and @pd>"20060509" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/12 17:20 |
| S100 | 8 | 714/8.ccls. and @pd>"20060606" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/12 17:20 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S10 1 | 14 | 714/7.ccls. and @pd>"20060608" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/13 10:57 |
| S10 9 | 10 | 714/36.ccls. and @pd>"20060525" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/15 08:48 |
| S11 0 | 5 | 714/5.ccls. and bios and @pd>"20060530" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/15 08:56 |
| S11 1 | 1 | 714/48.ccls. and bios and @pd>"20060411" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/15 09:00 |
| S11 2 | 1 | (faulty adj portion).clm. and (memory).clm. and (system adj software adj component).clm. and (relocating).clm. and (safe adj portion).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 12:49 |
| S11 3 | 1 | (faulty adj portion).clm. and (memory).clm. and (system adj software adj memory adj region). clm. and (relocating).clm. and (safe adj portion).clm. and (operating adj system adj runtime).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 12:51 |
| S11 4 | 1 | (faulty adj portion).clm. and (memory).clm. and (system adj software adj component).clm. and (relocating).clm. and (safe adj portion).clm. and (operating adj system adj runtime).clm. and (flash adj device).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/15 12:51 |
| S11 5 | 25 | 714/8.ccls. and (system adj software) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:27 |
| S11 6 | 25 | 714/8.ccls. and (bios) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:09 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|-----|------------------|
| S11 7 | 10 | 714/8.ccls. and (critical adj data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:09 |
| S11 8 | 17 | ("5919266" "5928367" "5978932").PN. OR ("6189111"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/26 23:13 |
| S11 9 | 1 | 714/8.ccls. and (system adj software adj components) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:28 |
| S12 0 | 48 | (memory with (failure failures fault faults fail fails)) and (system adj software adj components) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 11:19 |
| S12 1 | 197 | smram | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:43 |
| S12 2 | 0 | smram and (error adj map\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:43 |
| S12 3 | 106 | smram and (map\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:43 |
| S12 4 | 34 | smram and (relocat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 23:44 |
| S12 5 | 85 | smram and (fault faults fail fails failure failures) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 08:43 |
| S12 7 | 5 | smram with (fail fails fault faults failure failures) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:57 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S12 8 | 197 | smram | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:58 |
| S12 9 | 100 | smram and firmware | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:59 |
| S13 0 | 20 | smram with firmware | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:04 |
| S13 1 | 9 | PE/COFF | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:08 |
| S13 2 | 1273 | EFI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:09 |
| S13 3 | 4 | EFI with PE/COFF | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:08 |
| S13 4 | 13 | (US-20050188278-\$ or US-20030140271-\$ or US-20020010876-\$ or US-20050120265-\$ or US-20030154392-\$).did. or (US-6240531-\$ or US-5862314-\$ or US-5388267-\$ or US-6944792-\$ or US-6446203-\$ or US-6079016-\$ or US-7043666-\$ or US-6189111-\$).did. | US-PGPUB; USPAT | OR | OFF | 2006/09/27 11:09 |
| S13 5 | 1 | S134 and efi | US-PGPUB; USPAT | OR | OFF | 2006/09/27 11:09 |
| S13 6 | 27 | EFI and smram | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:29 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S13 7 | 326 | EFI with firmware | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:11 |
| S13 8 | 0 | (pre-boot) with (memory adj test\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:30 |
| S13 9 | 114 | (bios) with (memory adj test\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 11:30 |
| S14 0 | 4 | ((("5592616") or ("20030177129")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/02/12 16:40 |
| S14 1 | 59 | 714/42.ccls. and @pd>"20060810" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:39 |
| S14 2 | 3 | 714/53.ccls. and @pd>"20060718" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:38 |
| S14 3 | 31 | 714/8.ccls. and @pd>"20060815" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:30 |
| S14 4 | 47 | 714/7.ccls. and @pd>"20060808" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:52 |
| S14 5 | 27 | 714/36.ccls. and @pd>"20060718" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:59 |
| S14 6 | 6 | 714/5.ccls. and bios and @pd>"20060815" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:57 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S14 7 | 10 | 714/48.ccls. and bios and @pd>"20060718" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:56 |
| S14 8 | 8 | 714/5.ccls. and (system adj software) and @pd>"20060530" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/04 10:55 |

Web Images Video News Maps Gmail more ▼

Sign in

Google

"system software component" fault relocate

Search

Advanced Search
Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 78 for "**system software component**" **fault relocate**. (0.11 seconds)

Glossary

Relocate a server or group of servers from one LMID to another. A **system software component** that provides the infrastructure that guarantees the ...
edocs.bea.com/tuxedo/tux71/glossary/glossary.htm - 232k - [Cached](#) - [Similar pages](#)

A

Battle Command Decision Support **System (software component of MCS)**
Department of Army **Relocation** Services for Employees ...
www.monmouth.army.mil/historian/updates/27.htm - 344k - [Cached](#) - [Similar pages](#)

SEC Info - Team Financial Inc/KS, et al. - S-1 - On 7/11/01 - EX-10.5
RELOCATION. If appropriate, Metavante shall **relocate** all affected Services to
system software component failures, platform failure, and site disaster. ...
www.secinfo.com/dsvrp.4FC57.1.htm - 505k - [Cached](#) - [Similar pages](#)

[PDF] - From Black Box Voting Document Archive -

File Format: PDF/Adobe Acrobat
DESI may **relocate** its help desk, so long as such **relocation** does particular System
Hardware or **System Software component**. However, the County shall ...
accurate-voting.org/contracts/CA/Los_Angeles/CA_losangeles_2002_e1.pdf -
[Similar pages](#)

[PDF] <Viewpoint> language. (1) <X> federation. (1) <x> interceptor. (1 ...

File Format: PDF/Adobe Acrobat
Engineering Vocabulary) See also: **relocating** assembler which a system/software
system or **system/software component** must interface, or that sets forth ...
comrie.computer.org/sev_display/Downloader - [Similar pages](#)

Harvey Nash Executive Job Listing

The willingness and ability to **relocate** to, or commute on a daily basis to, Analyze
specific system elements such as **system software, component** ...
www.harveynash.com/rss/HN/rssHN_usa.xml - 977k - [Cached](#) - [Similar pages](#)

[GZIP] From lannet at lannet.com.au Mon Sep 1 08:17:09 2003 From: lannet ...

File Format: Gzip Archive
We've been given some incredible offers around the world to **relocate**. sequence for
the computer or a **system software component** by a normal user. ...
mailman.anu.edu.au/pipermail/link/2003-September.bt.gz - [Similar pages](#)

[PDF] Implementing ESS Copy Services with IBM eServer zSeries

File Format: PDF/Adobe Acrobat
is a **fault-tolerant** storage subsystem, which can be maintained and upgraded
DFSMSdfp host **system software component** System Data Mover (SDM). ...
www.redbooks.ibm.com/redbooks/pdfs/sg245680.pdf - [Similar pages](#)

[PS] System-Oriented Evaluation of I/O Subsystem Performance

File Format: Adobe PostScript - [View as Text](#)
Examples of time-critical requests include demand page **faults**, corrupt media
location in one of two ways, slipping or **relocation**. Sector or track ...
www.ece.cmu.edu/~ganger/papers/CSE-TR-243-95.ps - [Similar pages](#)

[Linux Mail] Sempre conectada com você! - [[Translate this page](#)]

Atypical Operating **System. Software Component** Placement. 9.6.3 Section Names
and Types 9.7 **Relocation** and Position Independent Code (PIC) 9.7.1 PIC ...
www.linuxmail.com.br/index.php?page=categ/11/page_info&print=1&product_id=-
[Similar pages](#)

Sponsored Links

[Moving software](#)

Like to Save time, Save money?
Check out DrMover.com and do both!
DrMover.com

[Move Software](#)

Transfer Data & Settings from PC-PC
PC Magazine Editors Choice 2 Years!
www.ca.com

[eMover-Software](#)

Moving and Lead Software On-line
.Net Technology for Movers
eMover-Software.com

US-PAT-NO: 6442660

DOCUMENT-IDENTIFIER: US 6442660 B1

TITLE: Dynamic system relocation based on availability of
system memory

----- KWIC -----

Detailed Description Text - DETX (17):

The method of the invention relocates a ROM version of the system into RAM. The relocation involves copying the code image into RAM, then modifying those locations of this image which are position dependent. Those locations of the operating system which require modification are stored in a relocation table, stored at a well known location in ROM memory. The **relocation** logic is part of the **system software**, invoked during the initialization phase of the system startup, and is not part of the boot ROM loader.